

From: [Moore, Gary](#)
To: [Gregg, Diane](#)
Subject: Re: Aboveground Storage Tanks
Date: Thursday, November 20, 2014 7:47:17 AM

Diane:

I would need you guys to do your charging to 2015 T 06L A6JP~~RS~~00. This is my assessment account. Also, the other samples need to be charged to this account also.

Thanks

Gary Moore

Federal On-Scene Coordinator

U.S. EPA Region 6

214-789-1627 cell

214-665-6609 office

moore.gary@epa.gov

From: Gregg, Diane

Sent: Thursday, November 20, 2014 7:11 AM

To: Moore, Gary; Warren, Christy

Subject: RE: Aboveground Storage Tanks

Gary,

I believe we can accommodate your request to analyze these here. It makes a huge difference in capacity when we can charge to Superfund and utilize our ESAT contractors in preparation of samples.

Do you need these sample results by Dec 2nd also? I'm not sure I can promise we would meet that date with fully reviewed data but we can try. We would need the samples collected and delivered ASAP (i.e. today).

From: Moore, Gary

Sent: Wednesday, November 19, 2014 11:14 PM

To: Gregg, Diane; Warren, Christy

Subject: CES: Aboveground Storage Tanks

Diane/Christy:

As I told you earlier, we have some additional containers where we are experiencing the same interferences. I want you to see these to see if your can take these samples or can specify as protocol for a commercial lab where they can resolve these issues for us. See the following:

Container	Classification	Volume Estimate (gallons)	RCRA Codes	RCRA Codes Due to Matrix Interference	RCRA Codes Eliminated Based By Totals Data
NTank8	Hazardous	14800	D018	D032	
STank2	Hazardous	16150	D018	D032	
STank8	Hazardous	14205		D030, D032	
NTank9_10 Comp	Hazardous	18039	D018	D032	
OT4_OT5 Comp	Hazardous	17335		D032	
STank1_3_6 Comp	Hazardous	11501	D002, D007, D018	D020, D030, D032, D033	

Thanks

Gary Moore

Federal On-Scene Coordinator

U.S. EPA Region 6

214-789-1627 cell

214-665-6609 office

moore.gary@epa.gov